

• Question No. 1

The optimum sowing time of 'toria' in Punjab is:

Options :

1. Whole September
2. Whole October
3. Whole November
4. October – November
- 5.

Answer : Whole September

• Question No. 2

In the intercropping of Gobhisarson + Toria, the crops are sown in alternate rows at a spacing of:

Options :

1. 15.0 cm
2. 22.5 cm
3. 35.0 cm
4. 42.5 cm
- 5.

Answer : 22.5 cm

• Question No. 3

'DWRB 123' is a newly released variety of crop, particularly suitable for brewing industry.

Options :

1. Wheat
2. Sorghum

3. Oats
4. Barley
- 5.

Answer : Barley

- Question No. 4

Sesame belongs to the plant family:

Options :

1. Pedaliaceae
2. Asteraceae
3. Poaceae
4. Chenopodiaceae
- 5.

Answer : Pedaliaceae

- Question No. 5

The foliar cover at the top layer of the crop plants is referred as:

Options :

1. Foliage canopy
2. Plant canopy
3. Crop canopy
4. Leaf area index
- 5.

Answer : Crop canopy

- Question No. 6

The intensity of crop rotation can be computed by using the following formula:

Options :

1. $100 \text{ (Number of crops in the rotation / Number of years of the rotation)}$
2. $100 \text{ (Area under each crop in the rotation / Number of years of the rotation)}$
3. $100 \text{ (Number of years of the rotation / Number of crops in the rotation)}$
4. $100 \text{ (Number of years of the rotation / Area under each crop in the rotation)}$
- 5.

Answer : $100 \text{ (Number of crops in the rotation / Number of years of the rotation)}$

• Question No. 7

Factors such as crop species, varieties, weeds, insect-pests, and diseases, which determine the crop configuration and performance of cropping pattern at a given site, are actually:

Options :

1. Economical determinants of cropping system
2. Biological determinants of cropping system
3. Regional determinants of cropping system
4. Occasional determinants of cropping system
- 5.

Answer : Biological determinants of cropping system

• Question No. 8

Which one of the following is the correct formula to compute the ginning percentage in cotton?

Options :

1. $[100 \text{ (yield of lint in t/ha)} / \text{(yield of cotton seed in t/ha)}]$
2. $[100 \text{ (yield of fibre in t/ha)} / \text{(yield of cotton seed in t/ha)}]$
3. $[100 \text{ (yield of lint in t/ha)} / \text{(yield of seed cotton in t/ha)}]$
4. $[100 \text{ (yield of cotton seed in t/ha)} / \text{(yield of seed cotton in t/ha)}]$
- 5.

Answer : $[100 \text{ (yield of lint in t/ha)} / \text{(yield of seed cotton in t/ha)}]$

- Question No. 9

The early maturing variety of potato is:

Options :

1. KufriChamatkar
2. KufriBadshah
3. KufriKhyati
4. KufriNavjot
- 5.

Answer : KufriKhyati

- Question No. 10

Seed plot technique in potato is used to produce:

Options :

1. Large sized potato
2. Virus free seed
3. Insect free seed
4. Fungus free seed
- 5.

Answer : Virus free seed

- Question No. 11

The optimum time for sugarcane planting during the spring season in Punjab is:

Options :

1. Mid-September to end of October

2. Mid-November to end of December
3. Mid-January to end of February
4. Mid-February to end of March
- 5.

Answer : Mid-February to end of March

• Question No. 12

The best time for sowing of potato in Punjab is:

Options :

1. First fortnight of September
2. Last week of September to mid-October
3. Last fortnight of October to first week of November
4. Second fortnight of November
- 5.

Answer : Last week of September to mid-October

• Question No. 13

Depending upon the variety, the recommended seed rate for planting of sugarcane in Punjab ranges between:

Options :

1. 55 – 65 quintals/ hectare
2. 65 – 75 quintals/ hectare
3. 75 – 85 quintals/ hectare
4. 85 – 105 quintals/ hectare
- 5.

Answer : 75 – 85 quintals/ hectare

• Question No. 14

'Wilt' is a serious disease in pigeon pea. Which one of the following measures may not help in reducing the incidence of this disease?

Options :

1. Adoption of three to four-year crop rotation
2. Adoption of mixed cropping with sorghum
3. Adoption of disease resistant varieties
4. Adoption of mulching with pigeon pea trash
- 5.

Answer : Adoption of mulching with pigeon pea trash

- Question No. 15

'Parawilt' of cotton is:

Options :

1. Caused by a fungus
2. A physiological disorder
3. Caused by a virus
4. Caused by a mycoplasma
- 5.

Answer : A physiological disorder

- Question No. 16

Which one of the following strategies is unsuitable for the management of 'Ascochyta blight' of chickpea?

Options :

1. Timely sowing to avoid the early drought
2. Destruction and burial of diseased crop residues by deep tillage
3. Spraying of NPV (Nuclear Polyhedrosis Virus) on the crop
4. Cultivation of resistant varieties

5.

Answer : Spraying of NPV (Nuclear Polyhedrosis Virus) on the crop

• Question No. 17

Spray of *Bacillus thuringiensis* is suggested to manage the:

Options :

1. Pod borer of chickpea
2. Tungro virus of rice
3. Aphid of mustard
4. Phyllody of sesame
- 5.

Answer : Pod borer of chickpea

• Question No. 18

Which one of the following strategies does not help in preventing the incidence of 'whitefly' in cotton?

Options :

1. Timely sowing
2. Growing whitefly tolerant hybrids
3. Late sowing
4. Clearing the wild vegetation/weeds around the fields
- 5.

Answer : Late sowing

• Question No. 19

Which one of the following statements is incorrect about the desert locusts?

Options :

1. They belong to the family called Acrididae
2. The life cycle comprises of four stages, i.e. egg, caterpillar, pupa and adult
3. The adult can consume the food equal to its body weight in a day
4. solitary adults are brown whereas gregarious adults are pink (immature) and yellow (mature)
- 5.

Answer : The life cycle comprises of four stages, i.e. egg, caterpillar, pupa and adult

• Question No. 20

Extra-long staple hybrid of cotton is

Options :

1. Mahalakshmi
2. Varalaxmi
3. Dhanalaxmi
4. Krishna
- 5.

Answer : Varalaxmi

• Question No. 21

The 'grassy shoot disease' of sugarcane can be prevented by:

Options :

1. Moist hot air treatment of seed-canes
2. Spraying of a suitable fungicide
3. Spraying of a recommended bactericide
4. Light trap
- 5.

Answer : Moist hot air treatment of seed-canes

- Question No. 22

The variety of sugarcane which has the ability of ratooning is

Options :

1. Co-205
2. Co-419
3. Co-312
4. Co-453
- 5.

Answer : Co-419

- Question No. 23

Perennial legume fodder is

Options :

1. Cowpea
2. Clusterbean
3. Berseem
4. Stylo
- 5.

Answer : Berseem

- Question No. 24

Which one of the following is an essential element to the plants?

Options :

1. Strontium (Sr)
2. Nickel (Ni)
3. Chromium (Cr)

4. Arsenic (As)

5.

Answer : Nickel (Ni)

• Question No. 25

The incorrect combination of nutrient and deficiency symptom is

Options :

1. P – Accumulation of free reducing sugar
2. K – Accumulation of the diamineputriscine
3. Mg – Interveinal Chlorosis of older leaves
4. Fe – Grey speck in oats
- 5.

Answer : Fe – Grey speck in oats

• Question No. 26

Application of super digested compost to acidic calcareous and heavy soils increases the availability of

Options :

1. N
2. P
3. K
4. Ca
- 5.

Answer : P

• Question No. 27

Which one of the following is not the limitation for wide scale adoption of sprinkler method of irrigation?

Options :

1. Undulated fields
2. High wind velocity
3. Large amount of dissolved salts
4. High initial investment and operating cost
- 5.

Answer : Undulated fields

• Question No. 28

The example of augmentation cropping is

Options :

1. Maize + Cucurbits
2. Pearlmillet + greengram
3. Berseem + forage brassica
4. Wheat + chickpea
- 5.

Answer : Berseem + forage brassica

• Question No. 29

Wilting of tobacco due to water logging is known as

Options :

1. Flaming
2. Floating
3. Flooding
4. Flooping
- 5.

Answer : Flooping

- Question No. 30

The inter-row space between two adjacent rows of the base crop in paired row planting is

Options :

1. Reduced
2. Increased
3. Equal
4. None of the above
- 5.

Answer : Reduced

- Question No. 31

Genetically the purest seed stock is

Options :

1. Basic seed
2. Breeder seed
3. Foundation seed
4. Registered seed
- 5.

Answer : Breeder seed

- Question No. 32

Crop logging is generally used in

Options :

1. Maize
2. Cotton
3. Potato

4. Sugarcane

5.

Answer : Sugarcane

• Question No. 33

Which one is not the principle of system of rice intensification

Options :

1. Reduced water application
2. Increase organic matter
3. Increase plant density
4. Early & healthy plant establishment
- 5.

Answer : Increase plant density

• Question No. 34

The vertical side of the furrow made in the soil away from which the turned soil is thrown is called

Options :

1. Furrow face
2. Furrow slice
3. Furrow sole
4. Furrow wall
- 5.

Answer : Furrow face

• Question No. 35

India has only one locust breeding season and that is

Options :

1. Summer breeding
2. Winter breeding
3. Spring breeding
4. None of the above
- 5.

Answer : Summer breeding

• Question No. 36

The fall armyworm (*Spodoptera frugiperda*) is a pest that feeds in large numbers on leaves and stems caused major damage recently to the crop of

Options :

1. Rice
2. Wheat
3. Maize
4. Cotton
- 5.

Answer : Maize

• Question No. 37

Which of the following statements is not true for Dhaincha?

Options :

1. Punjab Dhaincha 1 is variety of dhaincha
2. Botanically it is *Sesbania aculeata*
3. It takes 250 days to mature
4. It is used as a green manure crop
- 5.

Answer : It takes 250 days to mature

- Question No. 38

For green manuring sunhemp can be sown during

Options :

1. January - February
2. April- July
3. August – November
4. December – January
- 5.

Answer : April- July

- Question No. 39

Lucky seed drill is used for

Options :

1. Simultaneous sowing and spray of pre emergence herbicide in direct seeded rice
2. Simultaneous sowing and spray of pre emergence herbicide in raya
3. Simultaneous sowing and drilling of fertilizer in direct seeded rice
4. Simultaneous sowing and drilling of fertilizer in wheat
- 5.

Answer : Simultaneous sowing and spray of pre emergence herbicide in direct seeded rice

- Question No. 40

For higher yield and better grain quality PR 124 and PR 126 transplanting should be done from

Options :

1. 15- 20 days old nursery

2. 25- 30 days old nursery
3. 40- 45 days old nursery
4. 50- 55 days old nursery
- 5.

Answer : 25- 30 days old nursery

• Question No. 41

Rice variety Pusa 44/ Peeli Pusa is no more recommended for cultivation in Punjab because of

Options :

1. 15- 20 % more water requirement than PR varieties
2. Susceptible to all the prevalent pathotypes of bacterial blight
3. Both A and B
4. Higher broken grain percentage
- 5.

Answer : Both A and B

• Question No. 42

The quantity of Sathi 10 WP (Pyrazosulfuron ethyl) used for pre emergence weed control in rice

Options :

1. 600 g/acre
2. 400 g/acre
3. 2000g/ acre
4. 60g/ acre
- 5.

Answer : 60g/ acre

• Question No. 43

The lower leaves become rusty brown near the base and ultimately dry up in rice due to the deficiency of

Options :

1. Zn
2. Fe
3. N
4. K
- 5.

Answer : Zn

• Question No. 44

A carbon rich porous product obtained after the partial combustion of rice straw at low temperature in presence of little or no oxygen is

Options :

1. Press mud
2. Prali char
3. Parli compost
4. Prali wonder
- 5.

Answer : Prali char

• Question No. 45

Early-Maturing Variety of sugarcane tolerant to most of the prevalent pathotypes of red rot disease and tolerant to frost

Options :

1. CoPb 92
2. Co 118
3. CoJ 85

4. CoJ 64

5.

Answer : CoJ 85

- Question No. 46

Gram variety suitable for rainfed conditions

Options :

1. PBG 7
2. GPF 2
3. PDG 4
4. PBG 5
5. All of these

Answer : All of these

- Question No. 47

Linseed cultivation is mainly confined to

Options :

1. Amritsar and Ludhiana districts
2. Gurdaspur, Hoshiarpur and Ropar districts
3. Patiala and Ludhiana districts
4. Bhatinda, Abhor and Fazilka districts
- 5.

Answer : Gurdaspur, Hoshiarpur and Ropar districts

- Question No. 48

Which of the following statements is not true for sugarbeet?

Options :

1. Sugarbeet is the second largest sugar crop in the world, after sugarcane.
2. It is a short duration (6-7 months) sugar crop.
3. The tropical sugarbeet hybrids have good potential under Punjab conditions
4. June to mid-July is optimum time of sowing
- 5.

Answer : June to mid-July is optimum time of sowing

• Question No. 49

Which one of the following is not a part of Seed Production in Lucerne?

Options :

1. Take the last cutting of fodder in mid-March.
2. Stop irrigation after full blossoming to arrest further vegetative growth and thus ensure good seed yield.
3. The seed crop should be sown in rows 80 to 90 cm apart.
4. Harvest when two third of the pods dry up.
- 5.

Answer : The seed crop should be sown in rows 80 to 90 cm apart.

• Question No. 50

For synchronous maturity in summer moong stop last irrigation

Options :

1. At about 35 days after sowing
2. At about 45 days after sowing
3. At about 55 days after sowing
4. At about 65 days after sowing
- 5.

Answer : At about 55 days after sowing

- Question No. 51

In Soybean-Peas-Summermoong cropping system the pea and moong should be sown during

Options :

1. Pea during First fortnight of October and summer moong during second fortnight of March
2. Pea during First fortnight of November and summer moong during second fortnight of March
3. Pea during First fortnight of November and summer moong during second fortnight of February
4. Pea during First fortnight of October and summer moong during first fortnight of March
- 5.

Answer : Pea during First fortnight of November and summer moong during second fortnight of March

- Question No. 52

The amount of Ammonium Chloride required for providing one Kg.nitrogen

Options :

1. 2.2 kg
2. 6.2 kg
3. 1.7 kg
4. 4 kg
- 5.

Answer : 4 kg

- Question No. 52

What is Phostoxin?

Options :

1. Weedicide for controlling broad weeds
2. Used for management of stored grain insects
3. Nematicide for controlling nematodes

4. Fungicide for controlling plant diseases
- 5.

Answer : Used for management of stored grain insects

• Question No. 54

Wheat sowing using Happy Seeder requires

Options :

1. 5-10 kg more seed per acre than recommended
2. 5 kg more DAP per acre than recommended
3. First irrigation at 25-30 days in light soils and at 30-35 days after sowing in medium to heavy soils
4. All the above
- 5.

Answer : All the above

• Question No. 55

Yellow rust in wheat crop can be controlled by spraying of which one of the following using 200litres of water as soon as yellow rust is noticed

Options :

1. 100 ml Opera 18.3 SE per acre
2. 200 ml Opera 18.3 SE per acre
3. 200 g Caviet 25 WG per acre
4. Either B or C
- 5.

Answer : Either B or C

• Question No. 56

Which of the following can control of white rust in rapeseed and mustard crops?

Options :

1. Spray the crop with 250 g Ridomil Gold per acre at 60 and 80 days after sowing
2. Dursban/Coroban 20 EC
3. Furadan 3 G
4. Seed treatment with thiram
- 5.

Answer : Spray the crop with 250 g Ridomil Gold per acre at 60 and 80 days after sowing

• Question No. 57

At what stage Bagradahilaris attacks mustard crop

Options :

1. Germinating crop in October
2. Mature crop in March-April
3. Flowering stage
4. Germinating crop in October and again on mature crop in March-April.
- 5.

Answer : Germinating crop in October and again on mature crop in March-April.

• Question No. 58

Which variety of sugarcane should be planted under saline water conditions in southwestern districts of Punjab?

Options :

1. CoJ 85
2. Co 118
3. CoJ 88
4. CoPb 92
- 5.

Answer : CoJ 88

• Question No. 59

Which of the following disease is easily recognized by the appearance of long whip-like shoots covered with dusty black mass of spores?

Options :

1. Red rot
2. Wilt
3. Smut
4. Leaf scald
- 5.

Answer : Smut

• Question No. 60

For preventing damage by shoot fly in sorghum the seed should be treated with

Options :

1. 10 ml Slayer 30 FS (thiamethoxam) per kg seed
2. Sulphur dust @ 4 g/kg seed
3. Bavistin 2g/Kg.seed
4. Thiram 2g/kg seed
- 5.

Answer : 10 ml Slayer 30 FS (thiamethoxam) per kg seed

• Question No. 61

Finger-and-toe disease and abortion in animals can be due to feeding of

Options :

1. Ergot disease affected fodder
2. Downy mildew affected fodder

3. Shoot fly affect fodder
4. High HCN at early growth of the fodder
- 5.

Answer : Ergot disease affected fodder

• Question No. 62

Photoperiod insensitive variety of rice

Options :

1. Pusa Basmati 1121
2. Pusa Basmati 1509
3. Pusa Basmati 1637
4. All the above
- 5.

Answer : All the above

• Question No. 63

Early maturing maize composite suitable for rainfed conditions

Options :

1. PMH 2
2. Parkash
3. Megha
4. PAC 751
- 5.

Answer : Megha

• Question No. 64

For seed production of maize hybrid Prakash, the parental lines and seed rate/ acre should be

Options :

1. CM 139 (6 Kg.) and CM 140 (2 Kg.)
2. CM 40 (6 Kg.) and CM 20 (2 Kg.)
3. CM 5 (5.5 Kg.) and CM 20 (2.5 Kg.)
4. CM 5(6 Kg.) and CM 200 (2 Kg.)
- 5.

Answer : CM 139 (6 Kg.) and CM 140 (2 Kg.)

• Question No. 65

Shattering and jassid tolerant variety of desi cotton

Options :

1. LH 2076
2. LD 949
3. LD 1019
4. FDK 124
- 5.

Answer : LD 1019

• Question No. 66

Which of the following is a hexaploid species of wheat?

Options :

1. Triticum spelta
2. Triticum durum
3. Triticum persicum
4. Triticum monococcum
- 5.

Answer : Triticum spelta

- Question No. 67

Chemically Amistar Top 325 SC is ----- and used for controlling

Options :

1. Azoxystrobin for controlling Karnal Bunt of wheat
2. Azoxystrobin for controlling leaf blight in cotton
3. Difenoconazole for controlling leaf blight in cotton
4. Both B and C
- 5.

Answer : Both B and C

- Question No. 68

Which of the following statement is not true for sub soiling in case of sugarcane?

Options :

1. It should be done once in 3 to 4 years before preparing the field
2. It helps in breaking hard pan
3. Increase water infiltration and better root penetration
4. It is done by tractor drawn sub soiler upto a depth of 20-25 cm
- 5.

Answer : It is done by tractor drawn sub soiler upto a depth of 20-25 cm

- Question No. 69

For mechanical harvesting of sugarcane-by-sugarcane harvester the crop should be planted

Options :

1. 120 cm row spacing
2. 120-30 cm paired row trench method
3. Either A or B

4. Plant two rows of sugarcane 30 cm apart in 20- 25- cm deep trench
- 5.

Answer : Either A or B

- Question No. 70

Which one of the following is "Macaroni Wheat"?

Options :

1. Triticum aestivum
2. Triticum durum
3. Triticum dicoccum
4. Triticum sphaerococcum
- 5.

Answer : Triticum durum

- Question No. 71

Sterility mosaic is viral disease of which crop and is transmitted by

Options :

1. Moong by white fly
2. Arhar by eriophyid mite
3. Moong by eriophyid mite
4. Cowpea by aphid
- 5.

Answer : Arhar by eriophyid mite

- Question No. 72

Seed rate for soybean

Options :

1. 25 - 30 Kg/acre
2. 15 - 20 Kg/acre
3. 10 - 12 Kg/acre
4. 6 - 8 Kg/acre
- 5.

Answer : 25 - 30 Kg/acre

• Question No. 73

Which one of the following is not a bunch type variety of ground nut?

Options :

1. TG 37 A
2. SG 99
3. M 552
4. SG 84
- 5.

Answer : M 552

• Question No. 74

Which one is not true for canola type varieties of Brassica?

Options :

1. Less than 2 % erucic acid in the oil
2. Less than 30 micro moles glucosinolates per gram defatted meal
3. Raya variety RCL 3 is canola type
4. Oil rich in erucic acid is good for health
- 5.

Answer : Oil rich in erucic acid is good for health

- Question No. 75

Which of the following is not a fiber crop?

Options :

1. Crotalaria Juncea
2. Agave sisalana
3. Corchorus Capsularis
4. Lens esculenta Moench
- 5.

Answer : Lens esculenta Moench

- Question No. 76

Safflower oil is valued for its high

Options :

1. Linoleic acid
2. Erucic acid
3. Saturated fatty acid
4. Essential oil
- 5.

Answer : Linoleic acid

- Question No. 77

White grub in maize can be controlled by

Options :

1. Phorate 10 % granules @15 kg/ ha mix in the soil before sowing
2. Carbofuran 3 % granules @30 kg/ ha mix in the soil before sowing
3. Either A or B

4. Rogor 30 EC@ 500 ml/ ha spray

5.

Answer : Either A or B

• Question No. 78

Which of the following is not a C 4 plant?

Options :

1. Maize
2. Sorghum
3. Sugarcane
4. Wheat
- 5.

Answer : Wheat

• Question No. 79

The first stable product of C3 pathway is

Options :

1. Phosphoglycerate
2. Oxaloacetate
3. Pyruvic acid
4. Malate dehydrogenase
- 5.

Answer : Phosphoglycerate

• Question No. 80

For proper control of weeds, it is always necessary to use

Options :

1. Flood jet or flat fan spray nozzles
2. Fixed type hollow cone nozzle.
3. Double swirl spray nozzle
4. Adjustable nozzles.
- 5.

Answer : Flood jet or flat fan spray nozzles

• Question No. 81

Wheat variety suitable for growing under poplar plantation

Options :

1. PBW 677
2. PBW 725
3. Both A and B
4. C 306
- 5.

Answer : PBW 725

• Question No. 82

To get higher seed yield in berseem, the crop should be sprayed

Options :

1. Two sprays of 2% urea at weekly interval, starting from flower initiation
2. Two sprays of 2% Potassium nitrate at weekly interval, starting from flower initiation.
3. Two sprays of 7.5 g of Salicylic acid using 100 litres of water per acre.
4. Either B or C
- 5.

Answer : Either B or C

- Question No. 83

Wheat variety which had tremendous popularity and maximum area, high level of tolerance to drought and heat stress but succumbing to both strip and leaf rust

Options :

1. HD 229
2. PBW 343
3. C 306
4. PBW 550
- 5.

Answer : PBW 343

- Question No. 84

Summer urdbean(Black gram) in the central and sub mountainous tracts of Punjab is sown after

Options :

1. Potato/Toria
2. Sugarcane
3. Cotton
4. Wheat
- 5.

Answer : Potato/Toria

- Question No. 85

Extra early maturing maize composite for summer season is

Options :

1. Sangam
2. Parbhat

3. Paras
4. Punjab Sathi 1
- 5.

Answer : Punjab Sathi 1

• Question No. 86

Which of the following is a Spanish bunch variety, tolerant to bud necrosis viral disease in groundnut?

Options :

1. M548
2. SG 99
3. M522
4. M13
- 5.

Answer : SG 99

• Question No. 87

PAU 881 is an early maturing variety of

Options :

1. Mungbean
2. Pigeonpea
3. Ricebean
4. Soyabean
- 5.

Answer : Pigeonpea

• Question No. 88

Synthetic pyrethroids should not be used for the control of rice insect pest because it increase the population of

Options :

1. Rice plant hopper
2. Rice hispa
3. Grasshopper
4. Mite
- 5.

Answer : Rice plant hopper

• Question No. 89

Highest green fodder yielding variety of berseem

Options :

1. BL 1
2. BL 22
3. BL 42
4. BL 180
- 5.

Answer : BL 42

• Question No. 90

A Punjab farmer wants to grow 4 crops in a year, the most suitable crop rotation is

Options :

1. Rice- mustard – wheat – moong
2. Maize – potato – wheat- moong
3. Maize- onion- wheat – cowpea
4. Cotton –toria- wheat- moong
- 5.

Answer : Maize – potato – wheat- moong

- Question No. 91

Plough Pan is developed due to

Options :

1. Repeated puddling
2. Use of surplus residue as a mulch
3. Green manuring
4. Use of gypsum
- 5.

Answer : Repeated puddling

- Question No. 92

Suitable inter crops for autumn planted sugarcane

Options :

1. Summer moong bean, mash and mentha
2. Potato, raya, toria, gobhi sarson, wheat
3. Cotton
4. Pearmillet, pigeon pea, groundnut
- 5.

Answer : Potato, raya, toria, gobhi sarson, wheat

- Question No. 93

The copper deficiency in wheat under rice-wheat system in sandy soils can be corrected by

Options :

1. Soil application of 25 Kg CuSO_4 / ha
2. Soil application of 25 Kg CuSO_4 / ha
3. Foliar application of 0.2 % CuSO_4

4. Foliar application of 0.5 % CuSO_4

5.

Answer : Foliar application of 0.2 % CuSO_4

• Question No. 94

Isolation distance for producing foundation seed of bajra hybrid

Options :

1. 400 meter

2. 600 meter

3. 800 meter

4. 1000 meter

5.

Answer : 1000 meter

• Question No. 95

As per Seed Standards for Certified Seed, the maximum number of weed seeds in one kg seed of rice is

Options :

1. 5

2. 10

3. 15

4. 20

5.

Answer : 20

• Question No. 96

Well rotten FYM contains 40-50 % moisture and one ton of such FYM supplies N, P and K equivalent to

Options :

1. 4 kg Urea, 5 kg Superphosphate and 3 kg muriate of Potash
2. 4 kg Urea, 10 kg Superphosphate and 6 kg muriate of Potash
3. 2 kg Urea, 10 kg Superphosphate and 6 kg muriate of Potash
4. 4 kg Urea, 6 kg Superphosphate and 4 kg muriate of Potash
- 5.

Answer : 4 kg Urea, 10 kg Superphosphate and 6 kg muriate of Potash

• Question No. 97

Chemical promoting seed germination

Options :

1. Potassium nitrate
2. Potassium chloride
3. Sodium chloride
4. Acetic acid
- 5.

Answer : Potassium nitrate

• Question No. 98

Groundnut aphid (*Aphis craccivora*) apart from ground nut it is a serious pest of

Options :

1. Cowpea
2. Beans
3. Pulses and safflower
4. All the above
- 5.

Answer : All the above

- Question No. 99

Sowing of wheat in standing rice/basmati rice requires

Options :

1. 40 kg. seed /acre
2. 45 -50 kg seed/ acre
3. 55 – 60 kg seed /acre
4. 75-80 Kg. seed / acre
- 5.

Answer : 55 – 60 kg seed /acre

- Question No. 100

Epipyropes melanoleuca is a parasitoid of

Options :

1. Sugarcane leaf hopper
2. Sugarcane whitefly
3. Sugarcane root borer
4. Sugarcane top borer
- 5.

Answer : Sugarcane leaf hopper

Direction:

Read the following information carefully to answer the given questions:

XYZ Ltd. Presently has three Accounts Assistants – A, B and C - and five Accounts Officers – D, E, F, G and H. Its management is planning to open a new office in another city using three Accounts Officers and two Accounts Assistants from its present staff. The following guidelines have been established to set up the new office:

- (i) A and C are constantly finding faults with each other and should not be sent as members of the same team.
- (ii) C and E function well alone but not as a team. They should not be sent as members of the same team.

- (iii) D and G do not enjoy good relations. They should not be sent as members of the same team.
- (iv) Since D and F have been competing for a promotion, they should not be sent as members of the same team.

• Question No. 101

If C and F are moved to the new office, then what is the number of different teams that can be formed?

Options :

- 1. 1
- 2. 2
- 3. 3
- 4. 4
- 5.

Answer : 1

Direction:

Read the following information carefully to answer the given questions:

XYZ Ltd. Presently has three Accounts Assistants – A, B and C - and five Accounts Officers – D, E, F, G and H. Its management is planning to open a new office in another city using three Accounts Officers and two Accounts Assistants from its present staff. The following guidelines have been established to set up the new office:

- (i) A and C are constantly finding faults with each other and should not be sent as members of the same team.
- (ii) C and E function well alone but not as a team. They should not be sent as members of the same team.
- (iii) D and G do not enjoy good relations. They should not be sent as members of the same team.
- (iv) Since D and F have been competing for a promotion, they should not be sent as members of the same team.

• Question No. 102

If C is sent to the new office, then which member of the staff cannot go with C?

Options :

1. D
2. F
3. G
4. H
- 5.

Answer : D

Direction:

Read the following information carefully to answer the given questions:

XYZ Ltd. Presently has three Accounts Assistants – A, B and C - and five Accounts Officers – D, E, F, G and H. Its management is planning to open a new office in another city using three Accounts Officers and two Accounts Assistants from its present staff. The following guidelines have been established to set up the new office:

- (i) A and C are constantly finding faults with each other and should not be sent as members of the same team.
- (ii) C and E function well alone but not as a team. They should not be sent as members of the same team.
- (iii) D and G do not enjoy good relations. They should not be sent as members of the same team.
- (iv) Since D and F have been competing for a promotion, they should not be sent as members of the same team.

- Question No. 103

Under the guidelines developed, which of the following must go to the new office?

Options :

1. B
2. D
3. E
4. G
- 5.

Answer : B

Direction:

Read the following information carefully to answer the given questions:

XYZ Ltd. Presently has three Accounts Assistants – A, B and C - and five Accounts Officers – D, E, F, G and H. Its management is planning to open a new office in another city using three Accounts Officers and two Accounts Assistants from its present staff. The following guidelines have been established to set up the new office:

- (i) A and C are constantly finding faults with each other and should not be sent as members of the same team.
- (ii) C and E function well alone but not as a team. They should not be sent as members of the same team.
- (iii) D and G do not enjoy good relations. They should not be sent as members of the same team.
- (iv) Since D and F have been competing for a promotion, they should not be sent as members of the same team.

• Question No. 104

If D goes to the new office, then which of the following is/are correct?

- 1) C cannot go
- 2) A cannot go
- 3) H must also go

Options :

- 1. 1 only
- 2. 2 only
- 3. 1 and 2
- 4. 1 and 3
- 5.

Answer : 1 and 3

• Question No. 105

In a row of 40 girls, when Komal was shifted to her left by 4 places her number from the left end of the row became 10. What was the number of Swati from the right end of the row if Swati was three places to the right of

Komal's original position?

Options :

1. 22
2. 23
3. 25
4. None of these
- 5.

Answer : None of these

Direction:

Each of the questions below consists of a question and two statements numbered I and II given below it. You have to decide whether the data provided in the statements are sufficient to answer the question. Read both the statements and give answer

- Question No. 106

In a certain code, '13' means 'stop smoking' and '59' means 'injurious habit'. What do '9' and '5' mean respectively in that code?

- I) '157' means 'stop bad habit'.
- II) '839' means 'smoking is injurious'.

Options :

1. If the data in statement I alone are sufficient to answer the question, while the data in statement II alone are not sufficient to answer the question;
2. If the data in statement II alone are sufficient to answer the question, while the data in statement I alone are not sufficient to answer the question;
3. If the data either in statement I alone or in statement II alone are sufficient to answer the question; and
4. If the data given in both statement I and II together are not sufficient to answer the question;
- 5.

Answer : If the data either in statement I alone or in statement II alone are sufficient to answer the question; and

Direction:

Each of the questions below consists of a question and two statements numbered I and II given below it. You have to decide whether the data provided in the statements are sufficient to answer the question. Read both the statements and give answer

• Question No. 107

How is D related to A?

I) B is the brother of A.

II) B is D's son.

Options :

1. If the data in statement I alone are sufficient to answer the question, while the data in statement II alone are not sufficient to answer the question;
2. If the data in statement II alone are sufficient to answer the question, while the data in statement I alone are not sufficient to answer the question;
3. If the data either in statement I alone or in statement II alone are sufficient to answer the question; and
4. If the data given in both statement I and II together are not sufficient to answer the question;
5. Prepare 50% Faster

Answer : If the data given in both statement I and II together are not sufficient to answer the question;

• Question No. 108

Who among Siddhartha, Nikunj, Vipul and Mukul is the Youngest?

I. Vipul is younger than Mukul but older than Siddartha and Nikunj.

II. Mukul is the oldest.

III. Siddhartha is older than Nikunj.

Options :

1. Only 1
2. Only I and II
3. Only I and III
4. All of these
- 5.

Answer : Only I and III

Direction:

In each of the following questions, two statements are given followed by three or four conclusions numbers I, II, III and IV. You have to take the given statements to be true even if they seem to be at variance from the commonly known facts and then decide which of the given conclusions logically follows from the given statements disregarding commonly known facts.

- Question No. 109

Statements:

All aeroplanes are trains.

Some trains are chairs.

Conclusions:

- I. Some aeroplanes are chairs.
- II. Some chairs are aeroplanes.
- III. Some chairs are trains.
- IV. Some trains are aeroplanes.

Options :

1. None follows
2. Only I and II follow
3. Only II and III follow
4. Only III and IV follow

5.

Answer : Only III and IV follow

Direction:

In each of the following questions, two statements are given followed by three or four conclusions numbers I, II, III and IV. You have to take the given statements to be true even if they seem to be at variance from the commonly known facts and then decide which of the given conclusions logically follows from the given statements disregarding commonly known facts.

• Question No. 110

Statements:

All shares are debentures.

No debenture is an equity.

Conclusions:

I. No equity is a share.

II. Some debentures are shares.

III. No share is an equity.

Options :

1. Only I follow
2. Only II follows
3. Only III follows
4. All follow
- 5.

Answer : All follow

• Question No. 111

Where is National Plant Protection Training Institute located?

Options :

1. Hyderabad
2. New Delhi
3. Jaipur
4. Bangalore
- 5.

Answer : Hyderabad

- Question No. 112

The term 'MANAV', which was in the news recently, is a

Options :

1. A database involving indigenous tribal groups
2. A satellite launched by ISRO
3. A human atlas project launched by the Department of Biotechnology (DBT), Government of India.
4. A humanoid robot created in Japan
- 5.

Answer : A human atlas project launched by the Department of Biotechnology (DBT), Government of India.

- Question No. 113

Fish can survive inside a frozen lake because

Options :

1. Fish are warm blooded animals
2. Fish hibernate in ice
3. Water near the bottom does not freeze
4. Ice is a good conductor of heat
- 5.

Answer : Water near the bottom does not freeze

- Question No. 114

The three primary colours are

Options :

1. blue, green and red
2. Blue, yellow and red
3. yellow, orange and red
4. Violet, indigo and blue
- 5.

Answer : blue, green and red

- Question No. 115

The walls and ceiling of an auditorium are covered with fibrous material, such as glass fibre, to

Options :

1. Beautify the auditorium
2. Reduce the cost of construction
3. Make the auditorium fire-proof
4. Absorb sound and prevent echoes
- 5.

Answer : Absorb sound and prevent echoes

- Question No. 116

The National Bureau of Plant Genetic Resources is located at

Options :

1. Bangalore

2. Jammu
3. New Delhi
4. Shillong
- 5.

Answer : New Delhi

• Question No. 117

The sex of a child is determined by the

Options :

1. Chromosomes of the father
2. Chromosomes of the mother
3. Rh factor of the parents
4. Blood group of the father
- 5.

Answer : Chromosomes of the father

• Question No. 118

Quinine, the commonly used drug for malaria, is obtained from a plant. What part of the plant yields the drug?

Options :

1. Leaves
2. Fruits
3. Root
4. Stem bark
- 5.

Answer : Stem bark

• Question No. 119

Marsh gas, formed from decaying organic matter and also found in coal mines, is

Options :

1. Carbon dioxide
2. Methane
3. Ethane
4. Carbon monoxide
- 5.

Answer : Methane

- Question No. 120

The substance made from only carbon is

Options :

1. Sugar
2. Acetic acid
3. Graphite
4. Methane
- 5.

Answer : Graphite

[Attempt Mock Test Now](#)

All ixamBee Mock Test are FREE @ www.ixamBee.com